Total Wt. per Ft. of Cables (lb) =		Coefficien	t of Friction=		Initial Cab	le Tension =	:		
	1st Leg	2nd Leg	3rd Leg	4th Leg	5th Leg	6th Leg	7th Leg	8th Leg	9th Leg
Length to Next Bend (ft)									
Vertical Rise(+) or Drop (-)									
Bend Angle at end of leg									
Force									

GREENLEE CABLE PULL TENSION ESTIMATOR

See Sheet 2 for example See Sheet 3 for 600v copper cable weights per ft.

This is an easy to use tool to give an approximation of the pull force that will be required to install electrical cable into a conduit. There are many unknown factors involved that prohibit giving exact results. Most notable amongst these is the coefficient of friction. Lubrication, surface texture, and lay of the cable are never uniform along the length of a conduit run. Comparing the known forces of pulls against the estimated force should give you a guide as to a good coefficient of friction to use for similar future pulls. In lieu of this, the table on the right has some suggested starting points for coefficient of friction of well-lubricated cable. If lubricant is not used, triple the values in the table.

Data is entered by "Legs". Each Leg is a straight run of conduit followed by a bend, except for the last Leg, which would typically have no bend. In the "Length to Next Bend" box, enter the length of the straight run from the start or from the previous Leg to the next Leg or end of the run. If the Leg changes elevation, enter how much in the "Vertical Rise or Drop" box. Use a negative value if the cable will descend. If the Leg ends in a bend, enter the degrees of bend in the "Bend Angle" box. Repeat these steps with all the legs until done.

Enter the total cable weight and a coefficient of friction in the respective boxes. You can use Sheet 3 to automatically enter the cable weight. If there is a known drag on the cable before it enters the conduit, that force can be entered in the Initial Cable Tension box. The estimated pull force will be displayed at the bottom of each leg column.


Duct Material	Cable Insulation
PVC, PE, Concrete	XLPE, PE, Neo., Nylor
PVC, PE, Concrete	PVC
Steel	XLPE, PE, Neo., Nylor
Steel	PVC
Steel	Pb

Weight Correction Factor is 1.000



	Coef. of Friction
า	0.15-0.20
	0.30-0.40
า	0.25-0.35
	0.30-0.40
	0.20-0.25

Total Wt. per ft. of Cable (lb) =	2.592	Coefficien	t of Friction=	0.3	Initial Cab	le Tension =	0		
	1st Leg	2nd Leg	3rd Leg	4th Leg	5th Leg	6th Leg	7th Leg	8th Leg	9th Leg
Length to Next Bend (ft)	3	12	3	5	6				
Vertical Rise(+) or Drop (-)	-3			4					
Bend Angle at End of Leg	90	90	45	45					
Force	-4.9	7.2	12.0	31.3	36.0				



10th Leg

Typical TH	HN and THWN	600 volt copper ca	<mark>ble weight per fo</mark>	ot
Wire Size	Wt/Ft.	Number Used	Quantity wt.	
14 Ga.	.017		0	
12 Ga.	.025		0	
10 Ga.	.040		0	
8 Ga.	.065		0	
6 ga.	.098		0	
4 Ga.	.157		0	
3 Ga.	.195		0	
2 Ga.	.240		0	
1 Ga.	.305		0	
1/0	.378		0	
2/0	.470		0	
3/0	.585		0	
4/0	.730		0	
250 mcm	.864		0	
300 mcm	1.028		0	
350 mcm	1.192		0	
400 mcm	1.365		0	
500 mcm	1.678		0	
600mcm	2.023		0	
750 mcm	2.508		0	
1000mcm	3.230		0	
Total Weig	ht per Foot =		0	◀ lf a
	Conduit I.D. =			does i
JAMMING	IS NOT PROB	ABLE		

Enter the number of each cable size to be used. (i.e. 3x350mcm and 1x4/0). Enter the inside diameter of the conduit being used.

ayed here, it d on sheet 1.

PF8 Cable Pull Force Estimator Software License A Tools, Inc.

IMPORTANT—READ CAREFULLY: This Cable Puller Tension Estimator Software agreement between you (either an individual or a single entity) and GREENLEE TOO GREENLEE software product identified above, which includes computer software an materials, and may include "online" or electronic documentation ("SOFTWARE PRO installing, copying, or otherwise using the SOFTWARE PRODUCT, you agree to be b agreement. If you do not agree to the terms of this license agreement, promptly return PRODUCT to the place from which you obtained it for a full refund.

SOFTWARE PRODUCT LICENSE

The SOFTWARE PRODUCT is protected by copyright laws and international copyright tre property laws and treaties. The SOFTWARE PRODUCT is licensed, not sold.

- 1 **GRANT OF LICENSE.** This license agreement grants you the following rights:
- **Software.** You may install and use one copy of the SOFTWARE PRODUCT, or in its p operating system, on a single computer.
- 2 DESCRIPTION OF OTHER RIGHTS AND LIMITATIONS.
- Limitations on Reverse Engineering, Decompilation, and Disassembly. You may no disassemble the SOFTWARE PRODUCT, except and only to the extent that such activi law notwithstanding this limitation.
- Separation of Components. The SOFTWARE PRODUCT is licensed as a single produ separated for use on more than one computer.
- **Rental.** You may not rent or lease the SOFTWARE PRODUCT.
- Software Transfer. You may permanently transfer all of your rights under this license a copies, you transfer all of the SOFTWARE PRODUCT (including all component parts, upgrades, this license agreement, and, if applicable, the Certificate of Authenticity), and this license agreement. If the SOFTWARE PRODUCT is an upgrade, any transfer must SOFTWARE PRODUCT.
- **Termination.** Without prejudice to any other rights, GREENLEE TOOLS, INC. may to fail to comply with the terms and conditions of this license agreement. In such event, yo SOFTWARE PRODUCT and all of its component parts.

3 UPGRADES. If the SOFTWARE PRODUCT is an upgrade from another product, whe or another supplier, you may use or transfer the SOFTWARE PRODUCT only in conjunctive you destroy the upgraded product. If the SOFTWARE PRODUCT is an upgrade of a GREE now may use that upgraded product only in accordance with this license agreement. If the S of a component of a package of software programs that you licensed as a single product, the used and transferred only as part of that single product package and may not be separated fc

4 COPYRIGHT. All title and copyrights in and to the SOFTWARE PRODUCT (includin photographs, animations, video, audio, music, text, and "applets" incorporated into the SOF accompanying printed materials, and any copies of the SOFTWARE PRODUCT are owned suppliers. The SOFTWARE PRODUCT is protected by copyright laws and international tre treat the SOFTWARE PRODUCT like any other copyrighted material except that you may SOFTWARE PRODUCT solely for backup or archival purposes or (b) install the SOFTWA provided you keep the original solely for backup or archival purposes. You may not copy th SOFTWARE PRODUCT.

5 DUAL-MEDIA SOFTWARE. You may receive the SOFTWARE PRODUCT in more type or size of medium you receive, you may use only one medium that is appropriate for yo or install the other medium on another computer. You may not loan, rent, lease, or otherwis user, except as part of the permanent transfer (as provided above) of the SOFTWARE PRO

greement of Greenlee

e License Agreement is a legal)LS INCORPORATED for the d associated media and printed)DUCT" or "SOFTWARE"). By ound by the terms of this license the unused SOFTWARE

eaties, as well as other intellectual

place, any prior version for the same

t reverse engineer, decompile, or ity is expressly permitted by applicable

uct. Its component parts may not be

agreement, provided you retain no the media and printed materials, any l the recipient agrees to the terms of include all prior versions of the

erminate this license agreement if you u must destroy all copies of the

MISCELLANEOUS

If you acquired this product in the United States, this license agreeme

If this product was acquired outside the United States, then local law 1 Should you have any questions concerning this license agreement, or reason, please contact the GREENLEE subsidiary serving your count Dr./Rockford, II. 61073.

WARRANTY INFORMATION. GREENLEE TOOLS, INC. war substantially in accordance with the accompanying written materials t During the warranty period, we will, at our option, either repair or rep this warranty, write or call your local GREENLEE Representative, or be given prompt assistance and return instructions. Some states and j implied warranty, so the above limitation may not apply to you. To the Software Product is limited to (90) days.

LIMITATION OF WARRANTY. This warranty does not apply to of any product or part. This warranty also does not apply to the amou from using the SOFTWARE PRODUCT. Furthermore, the SOFTWARE of the pulling force that is necessary and is not meant to be a substitut. The user must refer to the user manual of any cable pulling device use must follow any safety precautions specified by the manufacturer of t any damage caused to any cable pulling device, property, or person th SOFTWARE PRODUCT. This warranty is in lieu of all other warrar merchantability of fitness for a particular use. GREENLEE TOOLS, consequential damages.

CUSTOMER REMEDIES. GREENLEE TOOLS, INC. and its supp the option of GREENLEE TOOLS, INC., either (a) return of the price PRODUCT that does not meet the GREENLEE TOOLS, INC. Limite INC. with a copy of your receipt. This Limited Warranty is void if fai accident, abuse, or misapplication. Any replacement SOFTWARE PR warranty period or thirty (30) days, whichever is longer. **Outside the support services offered by GREENLEE TOOLS, INC. are avail international source.**

NO OTHER WARRANTIES. TO THE MAXIMUM EXTENT PJ TOOLS, INC. AND ITS SUPPLIERS DISCLAIM ALL OTHER INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTJ PARTICULAR PURPOSE, WITH REGARD TO THE SOFTWA MATERIAL. THIS LIMITED WARRANTY GIVES YOU SPEC WHICH VARY FROM STATE/JURISDICTION TO STATE/JU

NO FIARIEITV FOR CONSECUENTIAL DAMACES TO THE

ther from GREENLEE TOOLS, INC. on with that upgraded product, unless ENLEE TOOLS, INC. product, you OFTWARE PRODUCT is an upgrade SOFTWARE PRODUCT may be or use on more than one computer.

ng but not limited to any images, 'TWARE PRODUCT), the I by GREENLEE TOOLS, INC. or its eaty provisions. Therefore, you must either (a) make one copy of the ARE PRODUCT on a single computer re printed materials accompanying the

• than one medium. Regardless of the our single computer. You may not use e transfer the other medium to another DUCT. NO LIADILITT FOR CONSEQUENTIAL DAMAGES. TO THE APPLICABLE LAW, IN NO EVENT SHALL GREENLEE TOC SPECIAL, INCIDENTAL, INDIRECT, OR CONSEQUENTIAL WITHOUT LIMITATION, DAMAGES FOR LOSS OF BUSINE BUSINESS INFORMATION, OR ANY OTHER PECUNIARY L TO USE THE SOFTWARE PRODUCT, EVEN IF GREENLEE SUCH DAMAGES. BECAUSE SOME STATES AND JURISDIC LIMITATION OF LIABILITY FOR CONSEQUENTIAL OR IN MAY NOT APPLY TO YOU.

nt is governed by the laws of the State of Illinois.

may apply.

if you desire to contact GREENLEE TOOLS, INC. for any ry, or write: GREENLEE TOOLS, INC. /4455 Boeing

rants that (a) the SOFTWARE PRODUCT will perform for a period of ninety (90) days from the date of receipt. place any product that proves to be defective. To exercise contact GREENLEE TOOLS, INC. Headquarters. You will urisdictions do not allow limitations on duration of an he extent allowed by applicable law, implied warranty on the

defects resulting from unauthorized modification or misuse int of work or rework necessary to pull wires that may result ARE PRODUCT is only intended to give the user an estimate te for the use of professional judgment when pulling cables. ed subsequent to the use of the SOFTWARE PRODUCT and he cable pulling device. This warranty does not extend to iat is a result of pulling cables subsequent to the use of the ities, expressed or implied, including any implied warranty of INC. shall not be liable for any indirect, special or

pliers' entire liability and your exclusive remedy shall be, at e paid, or (b) repair or replacement of the SOFTWARE ed Warranty and which is returned to GREENLEE TOOLS, llure of the SOFTWARE PRODUCT has resulted from RODUCT will be warranted for the remainder of the original **United States, neither these remedies nor any product able without proof of purchase from an authorized**

ERMITTED BY APPLICABLE LAW, GREENLEE WARRANTIES, EITHER EXPRESSED OR IMPLIED, IES OF MERCHANTABILITY AND FITNESS FOR A ARE PRODUCT, AND ANY ACCOMPANYING VIFIC LEGAL RIGHTS. YOU MAY HAVE OTHERS, IRISDICTION.

? MAXIMIM EXTENT PERMITTED RV

2 MAANNUM EATENT FERMITTED DT)LS, INC. OR ITS SUPPLIERS BE LIABLE FOR ANY DAMAGES WHATSOEVER (INCLUDING, SS PROFITS, BUSINESS INTERRUPTION, LOSS OF .OSS) ARISING OUT OF THE USE OF OR INABILITY HAS BEEN ADVISED OF THE POSSIBILITY OF CTIONS DO NOT ALLOW THE EXCLUSION OR .CIDENTAL DAMAGES, THE ABOVE LIMITATION